2020 TILE PATTERN CATALOG

TILE PATTERNS

IMPORTANT CONSIDERATIONS:

The tile pattern layouts contained in this catalog are presented as a means for inspiration. The suggested sizes and calculations are accurate, however the installer and/or end user accepts responsibility for determining final pattern calculations and usage prior to installation of the tile.

- Due to the nature of the manufacturing of ceramic tile, the size of each tile may vary from one tile to the next depending on when they were produced.
  - If using a single size in any installation, be sure the caliber of the tile is the same for all the material. This will ensure all of the tile was taken from the same production.
- When choosing a pattern with multiple sizes, calibers should be carefully selected based on the tile sizes used on each job.
- Multiple caliber sizes may need to be used to insure a proper width grout joint.
- If series is indicated as a modular or rectified product, calibers are not an issue.
- When installing products larger than 16" in an offset pattern, the offset must not be greater than 33%.
- Always layout the pattern to ensure its usability and obtain approval from the customer prior to installation.
- A proper width of a grout joint but be selected for any installation, please refer to guidelines set forth by Tile Counsel of North America.

Grout Recommendations per ANSI A108.02

4.3.8 Grout joint size: To accommodate the range in facial dimensions of the tile supplied for a specific project, the actual grout joint may, of necessity, vary from the grout joint size specified. The actual grout joint size shall be at least three times the actual variation of facial dimensions of the tile supplied.
Example: for tile having a total variation of 1/6 inch in facial dimensions, a minimum of 3/16 inch grout joint shall be used. Nominal centerline of all joints shall be straight with due allowances for hand-molded or rustic tiles. In no circumstance shall the joint be less than 1/16 inch.

TILE PATTERNS

ONE-SIZE PATTERN



Tile	Size	Percent
A	4¼"x4¼", 6"x6", 6½"x6½", 8"x8", 12"x12", 13"x13", 16"x16", 18"x18", 20"x20", 24"x24"	100%



Tile	Size	Percent
A	4¼"x4¼", 6"x6", 6½"x6½", 8"x8", 12"x12", 13"x13", 16"x16", 18"x18", 20"x20", 24"x24"	100%



Tile	Size	Percent
A	4¼"x4¼", 6"x6", 6½"x6½", 12"x12", 13"x13", 16"x16"	100%



Tile	Size	Percent
A	6"x20", 10"x20", 6"x24", 7½"x24", 12"x24", 16"x24", 7"x36", 24"x48"	100%



Tile	Size	Percent
A	6"x20", 10"x20", 6"x24", 7½"x24", 12"x24", 16"x24", 7"x36", 24"x48"	100%



Tile	Size	Percent
A	6"x20", 10"x20", 6"x24", 7½"x24", 12"x24", 16"x24", 7"x36", 24"x48"	100%



Tile	Size	Percent
A	2"x4", 3"x6", 4"x8", 6"x12", 8"x16"	100%



Tile	Size	Percent
A	2"x4", 3"x6", 4"x8", 6"x12", 8"x16"	100%



Tile	Size	Percent
A	2"x4", 3"x6", 4"x8", 6"x12", 8"x16"	100%

TILE PATTERNS

TWO-SIZE PATTERN LAYOUTS



Tile	Size	Percent
A	3"x6", 4"x8", 8"x16"	33%
B	6"x6", 8"x8", 16"x16"	67%



Tile	Size	Percent
A	8"x8", 12"x12"	20%
B	8"x16", 12"x24"	80%



Tile	Size	Percent
A	4"x8", 8"x16"	43%
B	8"x8", 16"x16"	57%



Tile	Size	Percent
A	4"x8", 16"x32", 10"x20", 12"x24"	33%
B	8"x8", 32"x32", 20"x20", 24"x24"	67%



Tile	Size	Percent
A	4"x8", 8"x8"	33%
B	8"x8", 16"x16"	67%



Tile	Size	Percent
A	8"x8"	33%
B	8"x16"	67%



Tile	Size	Percent
A	8"x8"	11%
B	8"x16"	89%



Tile	Size	Percent
A	6½"x6½", 8"x8"	20%
B	13"x13", 16"x16"	80%



Tile	Size	Percent
A	13"x13"	30%
B	20"x20"	70%

THREE-SIZE PATTERN LAYOUTS



Tile	Size	Percent
A	8"x8"	14%
B	8"x16"	29%
C	16"x16"	57%



Tile	Size	Percent
A	8"x8"	20%
B	8"x16"	40%
C	16"x16"	40%



Tile	Size	Percent
A	8"x8"	14%
B	8"x16"	29%
C	16"x16"	57%



Tile	Size	Percent
A	8"x8", 12"x12"	11%
B	8"x16", 12"x24"	44%
C	16"x16", 24"x24"	45%



Tile	Size	Percent
A	16"x16"	16%
B	16"x24"	48%
C	24"x24"	36%



Tile	Size	Percent
A	8"x8"	25%
B	8"x16"	50%
C	16"x16"	25%

TILE PATTERNS

PLANK TILE GROUT JOINT RECOMMENDATIONS

Running Bond/Brick Joint Offset and Patterns (ANSI A108.1)

For running bond/brick joint patterns utilizing rectangular tiles (rectified or cut) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% and grout joint width of at least 1/8".



Amazonia & Geologic
Running Bond/Brick Joint Offset and Patterns (ANSI A108.1)

For running bond/brick joint patterns utilizing rectangular tiles (rectified or cut) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% and grout joint width of at least 1/8". The maximum convexity is 0.6 mm

example pattern: 7½"x47"



TILE PATTERNS

PLANK TILE PATTERNS



Tile	Size	Percent
A	3½"x24", 5"x24", 5½"x24", 6"x24", 7½"x24", 7"x36", 5¾"x47", 7½"x47", 11½"x47"	100%



Tile	Size	Percent
A	3½"x24", 5"x24", 5½"x24", 6"x24", 7½"x24", 7"x36", 5¾"x47", 7½"x47", 11½"x47"	100%



Tile	Size	Percent
A	3½"x24", 5"x24", 5½"x24", 6"x24", 7½"x24", 7"x36", 5¾"x47", 7½"x47", 11½"x47"	100%



Tile	Size	Percent
A	3½"x24", 5"x24", 5½"x24", 6"x24", 7½"x24", 7"x36", 5¾"x47", 7½"x47", 11½"x47"	100%



Tile	Size	Percent
A	3½"x24", 5"x24", 5½"x24", 6"x24", 7½"x24", 7"x36", 5¾"x47", 7½"x47", 11½"x47"	100%



Tile	Size	Percent
A	3½"x24", 5"x24", 5½"x24", 6"x24", 7½"x24", 7"x36", 5¾"x47", 7½"x47", 11½"x47"	100%



Tile	Size	Percent
A	6"x24"	100%



Tile	Size	Percent
A	5½"x24"	42%
B	7½"x24"	58%



Tile	Size	Percent
A	7½"x47"	39%
B	11½"x47"	61%

TILE PATTERNS

PLANK TILE PATTERNS



Tile	Size	Percent
A	3½"x24", 7½"x47"	39%
B	5½"x24", 11½"x47"	61%



Tile	Size	Percent
A	6"x24", 8"x32", 11½"x47"	33%
B	12"x24", 16"x32", 23¼"x47"	67%



Tile	Size	Percent
A	6"x24", 8"x32", 11½"x47"	50%
B	12"x24", 16"x32", 23¼"x47"	50%



Tile	Size	Percent
A	6"x24", 8"x32", 11½"x47"	33%
B	12"x24", 16"x32", 23¼"x47"	67%



Tile	Size	Percent
A	5"x24"	38%
B	16"x24"	62%



Tile	Size	Percent
A	7½"x47"	57%
B	11½"x47"	43%



Tile	Size	Percent
A	5¾"x47"	50%
B	11½"x47"	50%



Tile	Size	Percent
A	5¾"x47"	43%
B	7½"x47"	57%



Tile	Size	Percent
A	5¾"x47"	27%
B	7½"x47"	18%
C	11½"x47"	55%

CHEVRON TILE PATTERNS



Tile	Size	Percent
A	3"x13½" Left Chevron	100%



Tile	Size	Percent
A	3"x13½" Right Chevron	25%
B	3"x13½" Left Chevron	75%



Tile	Size	Percent
A	3"x13½" Right Chevron	50%
B	3"x13½" Left Chevron	50%



Tile	Size	Percent
A	3"x13½" Right Chevron	50%
B	3"x13½" Left Chevron	50%



Tile	Size	Percent
A	3"x13½" Right Chevron	25%
B	3"x13½" Right Chevron	25%
C	3"x13½" Left Chevron, Right Chevron	25%
D	3"x13½" Left Chevron, Right Chevron	25%

TILE PATTERNS

BRICK PATTERNS



Tile	Size	Percent
A	4¼"x8½" Debossed	50%
B	4¼"x8½" Embossed	50%



Tile	Size	Percent
A	4¼"x4¼" Embossed	100%



Tile	Size	Percent
A	4¼"x4¼" Debossed	33%
B	4¼"x8½" Embossed	67%



Tile	Size	Percent
A	4¼"x4¼" Debossed	8.5%
B	4¼"x8½" Debossed	16.5%
C	4¼"x12¾" Debossed	25%
D	4¼"x4¼" Embossed	8.5%
E	4¼"x8½" Embossed	16.5%
F	4¼"x12¾" Embossed	25%



Tile	Size	Percent
A	4¼"x4¼" Debossed	17%
B	4¼"x8½" Embossed	33%
C	4¼"x12¾" Debossed	50%



Tile	Size	Percent
A	4¼"x4¼" Debossed	33%
B	4¼"x8½" Embossed	67%

UP & DOWN PATTERNS



Tile	Size	Percent
A	6"x6" Up	50%
B	6"x6" Down	50%



Tile	Size	Percent
A	3"x3" Up	50%
B	3"x3" Down	50%



Tile	Size	Percent
A	6"x6" Up	50%
B	3"x6" Down	50%



Tile	Size	Percent
A	3"x6" Up	50%
B	3"x6" Down	50%



Tile	Size	Percent
A	6"x6" Up	50%
B	6"x6" Down	50%
C	6"x6" Weaves Decorative Accent	As Needed



Tile	Size	Percent
A	6"x6" Weaves Decorative Accent	100%



TILE PATTERNS

BACKSPLASH PATTERNS



Tile	Size
A	4¼"x4¼", 6"x6", 8"x8"



Tile	Size
A	3"x6", 2⅛"x8½", 4¼"x8½", 4¼"x12¾"



Tile	Size
A	3"x6", 2⅛"x8½", 4¼"x8½", 4¼"x12¾"



Tile	Size
A	3"x6", 2⅛"x8½", 4¼"x8½", 4¼"x12¾"



Tile	Size
A	3"x6"
B	6"x6"



Tile	Size
A	6"x6"
B	3"x6"



Tile	Size
A	4¼"x4¼", 6"x6"
B	1"x8", ⅛"x8⅛"
C	Square Mosaic



Tile	Size
A	3"x6", 2⅛"x8½", 4¼"x8½", 4¼"x12¾"
B	Square Mosaic



Tile	Size
A	3"x6", 2⅛"x8½", 4¼"x8½", 4¼"x12¾"
B	Rectangular Mosaic

BACKSPLASH PATTERNS



Tile	Size
A	3"x6", 2⅛"x8½", 4¼"x8½", 4¼"x12¾"
B	Rectangular Mosaic



Tile	Size
A	3"x6", 2⅛"x8½", 4¼"x8½", 4¼"x12¾"
B	Penny Round Mosaic



Tile	Size
A	3"x6", 2⅛"x8½", 4¼"x8½", 4¼"x12¾"
B	1"x8", ⅛"x8⅛"
C	Hexagon Mosaic

TILE PATTERNS

RHOMBUS PATTERNS



Tile	Size	Percent
A	6”x10”, 3”x6”	100%



Tile	Size	Percent
A	6”x10”, 3”x6”	33.33%
B	6”x10”, 3”x6”	33.33%
C	6”x10”, 3”x6”	33.33%



Tile	Size	Percent
A	6”x10”, 3”x6”	33.33%
B	6”x10”, 3”x6”	33.33%
C	6”x10”, 3”x6”	33.33%



Tile	Size	Percent
A	6”x10”, 3”x6”	33.33%
B	6”x10”, 3”x6”	33.33%
C	6”x10”, 3”x6”	33.33%



Tile	Size	Percent
A	6”x10”, 3”x6”	45.45%
B	6”x10”, 3”x6”	45.45%
C	6”x10”, 3”x6”	9.10%



Tile	Size	Percent
A	6”x10”, 3”x6”	33.75%
B	6”x10”, 3”x6”	43.75%
C	6”x10”, 3”x6”	22.50%



Tile	Size	Percent
A	6”x10”, 3”x6”	25.00%
B	6”x10”, 3”x6”	50.00%
C	6”x10”, 3”x6”	25.00%



Tile	Size	Percent
A	6”x10”, 3”x6”	33.33%
B	6”x10”, 3”x6”	33.33%
C	6”x10”, 3”x6”	33.33%

DIAMOND PATTERNS



Tile	Size	Percent
A	6”x10”, 3”x6”	100%



Tile	Size	Percent
A	6”x10”, 3”x6”	33.33%
B	6”x10”, 3”x6”	33.33%
C	6”x10”, 3”x6”	33.33%



Tile	Size	Percent
A	6”x10”, 3”x6”	50.00%
B	6”x10”, 3”x6”	50.00%



Tile	Size	Percent
A	6”x10”, 3”x6”	25.00%
B	6”x10”, 3”x6”	50.00%
C	6”x10”, 3”x6”	25.00%



Tile	Size	Percent
A	6”x10”, 3”x6”	25.00%
B	6”x10”, 3”x6”	25.00%
C	6”x10”, 3”x6”	50.00%

TILE PATTERNS

HEXAGON PATTERNS



Tile	Size	Percent
A	10½"x12"	100%



Tile	Size	Percent
A	10½"x12"	17.65%
B	10½"x12"	82.35%



Tile	Size	Percent
A	10½"x12"	42.86%
B	10½"x12"	14.28%
C	10½"x12"	42.86%



Tile	Size	Percent
A	10½"x12"	42.86%
B	10½"x12"	57.14%



Tile	Size	Percent
A	10½"x12"	33.33%
B	10½"x12"	33.33%
C	10½"x12"	33.33%

HALF-HEX PATTERNS



Tile	Size	Percent
A	5¼"x12"	100%



Tile	Size	Percent
A	5¼"x12"	25.00%
B	5¼"x12"	75.00%



Tile	Size	Percent
A	5¼"x12"	50.00%
B	5¼"x12"	50.00%



Tile	Size	Percent
A	5¼"x12"	50.00%
B	5¼"x12"	50.00%



Tile	Size	Percent
A	5¼"x12"	50.00%
B	5¼"x12"	50.00%



Tile	Size	Percent
A	5¼"x12"	46.88%
B	5¼"x12"	6.25%
C	5¼"x12"	46.87%



Tile	Size	Percent
A	5¼"x12"	33.33%
B	5¼"x12"	33.33%
C	5¼"x12"	33.33%



Tile	Size	Percent
A	5¼"x12"	66.66%
B	5¼"x12"	33.33%



Tile	Size	Percent
A	5¼"x12"	75.00%
B	5¼"x12"	25.00%

TILE PATTERNS

FORM - LANEY



Tile	Size	Percent
A	8”x8”	100%



Tile	Size	Percent
A	8”x8”	100%



Tile	Size	Percent
A	8”x8”	100%



Tile	Size	Percent
A	8”x8”	100%



Tile	Size	Percent
A	8”x8”	100%



Tile	Size	Percent
A	8”x8”	100%

FORM - COLBY



Tile	Size	Percent
A	8”x8”	100%



Tile	Size	Percent
A	8”x8”	100%



Tile	Size	Percent
A	8”x8”	100%

FORM - REMY WHITE OR REMY GRAY



Tile	Size	Percent
A	8”x8”	100%

Tile	Size	Percent
A	8”x8”	100%

Tile	Size	Percent
A	8”x8”	100%

Tile	Size	Percent
A	8”x8”	100%

FORM - FLETCHER*



Tile	Size	Percent
A	8”x8”	100%

*In order to create the intended pattern, all pieces must be positioned with the design going in the same direction and installed on a 50% offset.

Headquarters

1950 Parker Rd
Carrollton, TX 75010

1.800.688.5671
info@interceramic.com

interceramicusa.com